TECHNICAL SPECIFICATION & COMMERCIAL BID SCHEDULE (ALL-IN-ONE)

Equipment: Manual Hydraulic C-Arm Compatible OT Table (SS 304) with Itemized Accessories

S.N.	Component / Accessory Block	Technical Specifications & Detailed Scope of Supply	Qty	Offered Make / Model	Basic Rate	GST (%)	Total Price
1	**Main Chassis & Column (Grade SS 304)**	• Construction: Heavy-duty Grade AISI 304 Stainless Steel base and telescopic cover. • Column Design: Offset / eccentric pillar delivering 100% unobstructed full-length C-arm access. • Mobility: Anti-static smooth castors with foot-operated central floor braking mechanism.	1 Set				
2	**Tabletop & Slide (250–300 kg Load)**	• Tabletop: 5-section fully radiolucent top (carbon fiber / phenolic resin) for C-arm imaging. • Longitudinal Slide: Smooth manual/geared slide (≥250–300 mm travel) for head-to-toe imaging. • Patient Capacity: Certified safe working load rating of 250–300 kg in all positions.	1 Set				
3	**Articulations & Drive Mechanism**	• Elevation: Heavy-duty foot-operated oil-immersed hydraulic pump (approx. 750 mm to 1000 mm). • Gear Controls: Smooth side gear handle/crank controls for: - Trendelenburg (≥25°) & Reverse Trendelenburg (≥25°) - Lateral Tilt Left/Right (≥20° / ≥20°) - Back Section Upward (≥70°) & Downward (≥20°) • Locking: Geared self-locking mechanism to prevent accidental drift under load.	1 Unit				

TECHNICAL SPECIFICATION & COMMERCIAL BID SCHEDULE (ALL-IN-ONE)

Equipment: Manual Hydraulic C-Arm Compatible OT Table (SS 304) with Itemized Accessories

S.N.	Component / Accessory Block	Technical Specifications & Detailed Scope of Supply	Qty	Offered Make / Model	Basic Rate	GST (%)	Total Price
4	**Modular Top Sections (Head, Back & Legs)**	• Head Section: Quick-release detachable, tiltable (+30° to -45°), interchangeable with leg section. • Back Section: Integrated mechanical kidney elevator / bridge (built-in lift up to 120 mm). • Leg Section: Split dual-leg plates, detachable, independently swinging 90° outward and 90° downward.	1 Set				
5.1	**Arm Boards with Clamps**	Pair of padded arm boards with 360° rotating clamps and anti-microbial restraint straps.	1 Pair				
5.2	**Shoulder Supports**	Pair of cushioned shoulder supports with universal clamps for steep Trendelenburg stabilization.	1 Pair				
5.3	**Lateral Body Supports**	Pair of adjustable padded lateral supports with fixing clamps for lateral decubitus stability.	1 Pair				
5.4	**Lithotomy Knee Crutches**	Pair of padded, height- and angle-adjustable gynae/lithotomy knee crutches / Geopel stirrups with straps.	1 Pair				
5.5	**Anaesthesia Screen**	Stainless steel L-shaped anaesthetic screen frame with heavy-duty rail clamp.	1 Set				
5.6	**Full-Length Mattress**	Seamless, anti-static, flame-retardant high-density memory foam (≥50 mm) mattress, waterproof & radiolucent.	1 Set				

TECHNICAL SPECIFICATION & COMMERCIAL BID SCHEDULE (ALL-IN-ONE)

Equipment: Manual Hydraulic C-Arm Compatible OT Table (SS 304) with Itemized Accessories

S.N.	Component / Accessory Block	Technical Specifications & Detailed Scope of Supply	Qty	Offered Make / Model	Basic Rate	GST (%)	Total Price
6	**Installation, Training & 2-Year Warranty**	• Turnkey delivery (F.O.R.), on-site assembly, load testing, and OT staff demonstration. • Minimum 2-year comprehensive warranty covering all mechanical/hydraulic/electrical parts. • Guaranteed 24–48 hr service response time with local spare availability.	1 Job				
	TOTAL BASE SYSTEM PRICE	**Complete package including OT Table, all standard accessories (5.1–5.6), mattress, delivery, and 2-Year Warranty.**	**Total**				
OPT	**Ortho Traction Frame**	**Grade SS 304 Orthopaedic traction attachment complete with pelvic rest, traction boots, and perineal post.**	**1 Set**				
OPT	**Gynae Fluid Tray**	**Stainless steel fluid collection basin with drainage pipe and clamp attachment.**	**1 Set**				
OPT	**CMC (Years 3 to 5)**	**Post-warranty Comprehensive Maintenance Contract covering all mechanical, hydraulic, and electrical parts.**	**3 Yrs**				